
phs memory®

8GB Computer memory DDR3 for Supermicro SuperServer 6026TT-TF UDIMM ECC



PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



Memory Specification

-				
		9.5mm	17.3mm	30mm
	54.68mm	t		

8GB			
DDR3			
yes			
PC3-10600E			
512Mx8			
2Rx8			
UDIMM ECC (ECC unbuffered)			
240 Pin DIMM			
1333MHz @ CL9			
-			
133,35 x 30 (LxB mm)			
0° C - 85° C			
-40° C - +95° C			
yes			
SP147887			
4055069223460			

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



System Specifications

The memory is 100% compatible with this sytem:

System manufacturer	Supermicro			
Device type	Server			
Device family	SuperServer			
Device series	6026 Serie			
Device name	SuperServer 6026TT-TF			
Maximum memory*	384GB / 288GB according to manufacturer			
Number of memory sockets	12			
Annotation	You can use ECC UDIMM or RDIMM, but not mixed in the server. 48GB maximum with UDIMM (6 x 8GB) 288GB (9 x 32GB) maximum with RDIMM. Optimal performance: Distribute the memories evenly across the memory slots and CPUs. We are happy to advise you!			

* The specifications for the maximum memory upgrade may differ from those of the manufacturer Supermicro. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
- Do not touch the gold pins of the memory module
- Only touch the sides of the memory module
- Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.



Further memory options for Supermicro SuperServer 6026TT-TF

4GBSP147886DDR3UDIMM ECC (ECC unbuffered)240 Pin DIMMPHS-memory®8GBSP147894DDR3RDIMM (ECC (ECC unbuffered)240 Pin DIMMPHS-memory®8GBSP147887DDR3UDIMM ECC (ECC unbuffered)240 Pin DIMMPHS-memory®16GBSP147888DDR3RDIMM (ECC (ECC unbuffered)240 Pin DIMMPHS-memory®16GBSP147895DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®32GBSP147890DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®16GBSP147899DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®16GBSP147891DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®16GBSP147899DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®16GBSP147899DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®16GBSP147891DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®	Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
Registered)8GBSP147887DDR3UDIMM ECC (ECC unbuffered)240 Pin DIMMPHS-memory®16GBSP147888DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®8GBSP147895DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®32GBSP147890DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®16GBSP147890DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®32GBSP147899DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®32GBSP147891DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®	4GB	SP147886	DDR3	(ECC	240 Pin DIMM	PHS-memory®	
Image: Instruction of the second se	8GB	SP147894	DDR3		240 Pin DIMM	PHS-memory®	
Registered)8GBSP147895DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®32GBSP147890DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®16GBSP147889DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®32GBSP147891DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®	8GB	SP147887	DDR3	(ECC	240 Pin DIMM	PHS-memory®	
32GBSP147890DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®16GBSP147889DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®32GBSP147891DDR3RDIMM (ECC Registered)240 Pin DIMMPHS-memory®	16GB	SP147888	DDR3		240 Pin DIMM	PHS-memory®	
Indext and the second	8GB	SP147895	DDR3	``	240 Pin DIMM	PHS-memory®	
Registered) 32GB SP147891 DDR3 RDIMM (ECC 240 Pin DIMM PHS-memory®	32GB	SP147890	DDR3		240 Pin DIMM	PHS-memory®	
	16GB	SP147889	DDR3	•	240 Pin DIMM	PHS-memory®	
	32GB	SP147891	DDR3		240 Pin DIMM	PHS-memory®	

PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.



For more information on warranty and service please visit https://www.phs-memory.com/-W5Y

Contact Information

PHS-electronic gmbh - www.phs-memory.com -Karl-Götz-Str. 5 97424 Schweinfurt Germany Phone: +49 9721 784678 E-Mail: info@phs-memory.com Web: www.phs-memory.com

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.com

phs memory[®]