# phs memory®

## 128GB Computer memory DDR4 for Gigabyte MW51-HP0 (rev. 1.0) RDIMM 3DS

	<b>phs</b> memory®
	<b>1.092,77 EUR</b> plus VAT <b>1.300,40 EUR</b> incl. VAT
DDR4 REMORY DDR4 REMORY Warranty void if remory	immediately available https://www.phs-memory.com Version: 30.07.2025 07:10
THE FROM THOM THE MARK A REAL FROM R TO THE REAL FROM THE REAL FROM THE MARK MARK AND THE	Your benefits
	verified quality memory
	5 years warranty Warranty details see last page
	✓ 100% compatible
	✓ free support on our hotline
	✓ fast delivery

#### PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



### Memory Specification



Memory technologyDDR4ECC supportyesJEDEC NormPC4-23400-RDRAM Organization3DS 2H 8Gx4Rank4Rx4 (2S2Rx4)TypeRDIMM (ECC Registered) 3DSNumber of pins288 Pin DIMMMemory data transfer rate2933MHz @ CL21Voltage1,2 VoltSpeciality3DSBoard dimensions133,35 x 31,25 (LxB mm)Operating temperature-40° C - +95° CRoHS compliantyesSKUSP467830	Memory size	128GB
JEDEC NormPC4-23400-RDRAM Organization3DS 2H 8Gx4Rank4Rx4 (2S2Rx4)TypeRDIMM (ECC Registered) 3DSNumber of pins288 Pin DIMMMemory data transfer rate2933MHz @ CL21Voltage1,2 VoltSpeciality3DSBoard dimensions133,35 x 31,25 (LxB mm)Operating temperatureo° C - 85° CStorage temperatureyesSKUSP467830	Memory technology	DDR4
DRAM Organization3DS 2H 8Gx4Rank4Rx4 (2S2Rx4)TypeRDIMM (ECC Registered) 3DSNumber of pins288 Pin DIMMMemory data transfer rate2933MHz @ CL21Voltage1,2 VoltSpeciality3DSBoard dimensions133,35 x 31,25 (LxB mm)Operating temperatureo° C - 85° CStorage temperatureyesSKUSP467830	ECC support	yes
Rank4Rx4 (2S2Rx4)TypeRDIMM (ECC Registered) 3DSNumber of pins288 Pin DIMMMemory data transfer rate2933MHz @ CL21Voltage1,2 VoltSpeciality3DSBoard dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantyesSKUSP467830	JEDEC Norm	PC4-23400-R
TypeRDIMM (ECC Registered) 3DSNumber of pins288 Pin DIMMMemory data transfer rate2933MHz @ CL21Voltage1,2 VoltSpeciality3DSBoard dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantyesSKUSP467830	DRAM Organization	3DS 2H 8Gx4
Number of pins288 Pin DIMMMemory data transfer rate2933MHz @ CL21Voltage1,2 VoltSpeciality3DSBoard dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantyesSKUSP467830	Rank	4Rx4 (2S2Rx4)
Memory data transfer rate2933MHz @ CL21Voltage1,2 VoltSpeciality3DSBoard dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantyesSKUSP467830	Туре	RDIMM (ECC Registered) 3DS
Voltage1,2 VoltSpeciality3DSBoard dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantyesSKUSP467830	Number of pins	288 Pin DIMM
Speciality3DSBoard dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantyesSKUSP467830	Memory data transfer rate	2933MHz @ CL21
Board dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantyesSKUSP467830	Voltage	1,2 Volt
Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantyesSKUSP467830	Speciality	3DS
Storage temperature-40° C - +95° CRoHS compliantyesSKUSP467830	Board dimensions	133,35 x 31,25 (LxB mm)
RoHS compliantyesSKUSP467830	Operating temperature	0° C - 85° C
<b>SKU</b> SP467830	Storage temperature	-40° C - +95° C
	RoHS compliant	yes
	SKU	SP467830
EAN 4067488313622	EAN	4067488313622

#### overRAMing maximize your RAM



Most systems - including the Gigabyte MW51-HP0 (rev. 1.0) - can be upgraded with more memory than originally specified by the device manufacturer.

Therefore, our memory specialists continuously analyze new memory solutions in selected systems. Due to improved manufacturing technologies, new memories with higher performance and capacity will be tested for stability and functionality.

Then the new memory solutions are released for the respective systems. Use the benefits of larger computer memory capacity with the PHSmemory® overRAMing memory solutions.

https://www.phs-memory.com/-BOR

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



#### System Specifications

The memory is 100% compatible with this sytem:

System manufacturer	Gigabyte
Device type	Motherboard-memory
Device family	Mainboard M
Device series	MW51 Serie
Device name	MW51-HP0 (rev. 1.0)
Maximum memory*	2TB / 512GB according to manufacturer
Number of memory sockets	8

\* The specifications for the maximum memory upgrade may differ from those of the manufacturer Gigabyte. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

Memory modules with our overRAMing-symbol are approved by us for maximum memory expansion.

## Information on memory allocation

Sie können RDIMM Computer memory or LRDIMM Computer memory einsetzen. LRDIMM memory sind gerade dann empfehlenswert, wenn große memorykapazitäten erreicht werden sollen. Registered DIMM and Load Reduced LRDIMM memory modules must not be mixed

#### Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
- Do not touch the gold pins of the memory module
- Only touch the sides of the memory module
- Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.



### Further memory options for Gigabyte MW51-HP0 (rev. 1.0)

8GBSP270949DDR4RDIMM (ECC Registered)288 Pin DIMMPHS-memory®16GBSP270947DDR4RDIMM (ECC Registered)288 Pin DIMMPHS-memory®32GBSP270948DDR4RDIMM (ECC Registered)288 Pin DIMMPHS-memory®64GBSP270946DDR4LRDIMM (ECC Registered)288 Pin DIMMPHS-memory®64GBSP467829DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®128GBSP467830DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®128GBSP467827DDR4LRDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®	Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
Registered)32GBSP270948DDR4RDIMM (ECC Registered)288 Pin DIMMPHS-memory®64GBSP270946DDR4LRDIMM (ECC LR DIMM)288 Pin DIMMPHS-memory®64GBSP467829DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®128GBSP467830DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®128GBSP467827DDR4LRDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®	8GB	SP270949	DDR4	•	288 Pin DIMM	PHS-memory®	
Registered)64GBSP270946DDR4LRDIMM (ECC LR DIMM)288 Pin DIMMPHS-memory®64GBSP467829DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®128GBSP467830DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®128GBSP467827DDR4LRDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®	16GB	SP270947	DDR4		288 Pin DIMM	PHS-memory®	
LR DIMM)64GBSP467829DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®128GBSP467830DDR4RDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®128GBSP467827DDR4LRDIMM (ECC Registered) 3DS288 Pin DIMMPHS-memory®	32GB	SP270948	DDR4	•	288 Pin DIMM	PHS-memory®	
Registered) 3DS       128GB     SP467830     DDR4     RDIMM (ECC Registered) 3DS     288 Pin DIMM     PHS-memory®       128GB     SP467827     DDR4     LRDIMM (ECC Registered) 3DS     288 Pin DIMM     PHS-memory®	64GB	SP270946	DDR4	``	288 Pin DIMM	PHS-memory®	
Registered) 3DS   128GB SP467827   DDR4 LRDIMM (ECC   288 Pin DIMM PHS-memory®	64GB	SP467829	DDR4	•	288 Pin DIMM	PHS-memory®	
	128GB	SP467830	DDR4		288 Pin DIMM	PHS-memory®	
	128GB	SP467827	DDR4	•	288 Pin DIMM	PHS-memory®	
256GB SP467831 DDR4 RDIMM (ECC 288 Pin DIMM PHS-memory® Registered) 3DS	256GB	SP467831	DDR4		288 Pin DIMM	PHS-memory®	
256GB SP467828 DDR4 LRDIMM (ECC 288 Pin DIMM PHS-memory® LR DIMM) 3DS	256GB	SP467828	DDR4	•	288 Pin DIMM	PHS-memory®	

#### PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.

For more information on warranty and service please visit https://www.phs-memory.com/-W5Y



#### Contact Information

PHS-electronic gmbh - www.phs-memory.com -Karl-Götz-Str. 5 97424 Schweinfurt Germany Phone: +49 9721 784678 E-Mail: info@phs-memory.com Web: www.phs-memory.com

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online



shop at https://www.phs-memory.com